

Kullanım talimatları

Ürün ve kullanım amacı

Y-7600, yağmur ve rüzgâr gibi hava koşullarında ıslanmaya karşı kullanım için tasarlanmış PVC yağmurluktur. Kumaş bileşimi %83 polivinil klorür ve %17 polyesterdir. Birleşimler yüksek frekans kaynaklıdır.

Bu kılavuz yalnız Y-7600 içindir. Teknik ayrıntılar için Y-7600 TDS'sini ve ürün üzerindeki etiketi birlikte inceleyin.

Her kullanım öncesinde

Kumaşı, kaplamayı, kaynak birleşimlerini, fermuarı, koruyucu patı, kapüşon bağcıklarını ve manşetleri kontrol edin. Yırtık, aşınma, deformasyon, ayrılma veya kapama sorunu bulunan ürünü kullanmayın.

Doğru bedeni altına giyeceğiniz kıyafetlerle değerlendirin. Kollarınızı uzatıp oturarak ve eğilerek hareket alanını kontrol edin. Göğüs eni, düz serilmiş ürünün sağdan sola ölçüsüdür; göğüs çevresi değildir.

Ürünü giyme ve ayarlama

Yağmurluğu temiz ve kuru giysilerin üzerine giyin. Fermuarı ve koruyucu patı tamamen kapatın. Kapüşon bağcıklarını görüşünüzü ve hareketinizi kısıtlamayacak şekilde ayarlayın.

Kol uçlarının bilekle uyumunu kontrol edin. İş sırasında kapama parçalarının kapalı, giysinin uygun şekilde oturmuş olduğundan emin olun. Kullanım sonrasında ürünü kurutup havalandırın.

Kullanım sınırları

Y-7600; ısı, alev, kimyasal maddeler veya mekanik kesilmelere karşı koruma sağlamaz. Motorlu araç kazalarına karşı koruyucu ekipman değildir ve motosiklet koruyucu donanımının yerine geçmez.

Ürünü sıcak yüzeylerden, açık alevden, yağ ve yakıttan, agresif kimyasallardan ve kesici nesnelerden uzak tutun. Çalışmanızın özel koruma gereksinimleri varsa uygun ekipmanı ayrıca belirleyin.

Bakım, temizlik ve saklama

Yıkama ve leke temizliği

Yıkama sıcaklığı en fazla 30 °C olmalıdır. Ürün etiketindeki yıkama yöntemini izleyin. Lekeleri nemli bezle lokal olarak temizleyebilirsiniz.

Ağartıcı kullanmayın. Solvent, yakıt ve agresif kimyasal temizleyicilerle temas ettirmeyin. Etiketle belirtilmeyen bir temizleme veya onarım işlemini uygulamadan önce üreticiden bilgi alın.

Kurutma

Tamburlu kurutma yapmayın, ütölemeyin ve kuru temizleme uygulamayın. Ürünü doğrudan ısı kaynağına koymayın; kullanım sonrasında doğal olarak kurutun ve temiz havada havalandırın.

Tamamen kurumadan kapalı ambalaja kaldırmayın. Doğrudan güneş ve yüksek ısıdan uzak tutun.

Depolama ve taşıma

Temiz ve kuru ürünü serin, kuru, doğrudan güneş almayan bir yerde saklayın. Yağ, yakıt, agresif kimyasallar ve kesici nesnelerle aynı ortamda temas edecek şekilde depolamayın.

Taşıırken kaplama ve kapama parçalarının ezilmesini veya kesici nesnelere sürtünmesini önleyin. Ürünü tekrar kullanmadan önce genel durumunu kontrol edin.

Hasar ve özel üretim seçenekleri

Kaplaması zarar görmüş, yırtılmış veya birleşimleri açılmış ürünü kullanmayın. Yapıştırıcı veya ısı ile onarım uygulamadan önce uygunluğunu üreticiyle teyit edin.

Logo baskılı veya kişiselleştirilmiş ürünlerde ilave bakım bilgisi varsa bu talimatları da izleyin. Özel tasarım ve aksesuar seçeneklerinde bakım koşullarını sipariş aşamasında netleştirin.

Ürün hakkında bilgi

Sorularınızda Y-7600 model kodunu, bedenini ve gerekiyorsa etiket ya da hasar fotoğrafını belirtin. T-Rain / Trans İş Güvenlik: info@transisguvenlik.com · +90 535 252 79 54 · t-rain.com.

Instructions for use

Product and intended use

The Y-7600 is a PVC raincoat intended for rainy and windy weather. Its fabric composition is 83% polyvinyl chloride and 17% polyester. The joins use high-frequency welded construction.

This guide applies only to Y-7600. Review the Y-7600 technical data sheet together with the garment label for product details.

Before each use

Inspect the fabric, coating, welded joins, zip, protective front flap, hood drawcords and cuffs. Do not use a garment with tears, wear, deformation, separated joins or faulty fastenings.

Check sizing over the clothing you will wear underneath. Reach, sit and bend to assess movement. Chest width is measured from side to side with the garment laid flat; it is not chest circumference.

Putting on and adjusting the garment

Wear the raincoat over clean, dry clothing. Fully close the zip and protective front flap. Adjust the hood drawcords without restricting your view or movement.

Check cuff fit at the wrists. Keep the fastenings closed and the garment properly adjusted during use. Dry and air the garment after use.

Limits of use

The Y-7600 does not provide protection against heat, flames, chemicals or mechanical cuts. It is not protective equipment for motor-vehicle accidents and does not replace motorcycle protective equipment.

Keep the garment away from hot surfaces, open flames, oil, fuel, aggressive chemicals and sharp objects. Identify any specialist protective equipment required for the work separately.

Care, cleaning and storage

Washing and spot cleaning

Do not exceed a washing temperature of 30 °C. Follow the method on the garment's care label. Local marks can be cleaned with a damp cloth.

Do not bleach. Avoid contact with solvents, fuel and aggressive chemical cleaners. Ask the manufacturer before using a cleaning or repair treatment not covered by the label.

Drying

Do not tumble dry, iron or dry clean. Keep the garment away from direct heat sources. Allow it to dry naturally and air it after use.

Do not pack away while damp. Keep it away from direct sunlight and high heat.

Storage and transport

Store the clean, dry garment in a cool, dry place out of direct sunlight. Avoid contact with oil, fuel, aggressive chemicals and sharp objects during storage.

During transport, protect the coating and fastenings from crushing and contact with sharp objects. Inspect the garment again before use.

Damage and custom-made options

Do not use the garment if the coating is damaged, it is torn or its joins have separated. Confirm suitability with the manufacturer before applying adhesive, heat or another repair treatment.

Follow any additional instructions supplied with printed or customised garments. Confirm care requirements for special designs and trims when ordering.

Product enquiries

Include Y-7600, the size and any relevant label or damage photographs in your enquiry. T-Rain / Trans İş Güvenlik: info@transisguvenlik.com · +90 535 252 79 54 · t-rain.com.